#### This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

		*	. *			- <del></del>		
	ē.					*	•	
2.			· · · · · · · · · · · · · · · · · · ·		Y			
	(5.1)		· · · · · · · · · · · · · · · · · · ·				,,,,	
			•				· ·	
				e e e e e e e e e e e e e e e e e e e		ė,		
			• •					
	*							
	· · ·	*. ***						
*								
÷					•	*		
	; ;;			•	ά.		<u>į</u> .	

# PHOTOCHEMISTRY OF SMALL MOLECULES

HIDEO OKABE
National Bureau of Standards

A WILEY-INTERSCIENCE PUBLICATION • JOHN WILEY & SONS NEW YORK • CHICHESTER • BRISBANE • TORONTO



Copyright @1978 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of may part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data

Okabe, Hidoo, 1923-

Photochemistry of small motecules.

"A Wiley-Interscience publication."
Bibliography: p.

Includes index.

I. Photochemistry. I. Title

QD708.2.033 541°.35 78-6704 ISBN 0-471-65304-7

Printed in the United States of America

10987654321

### Preface

This book has been written in an attempt to cover the remarkable progress made in recent years in the field of photochemistry of small molecules with up to five atoms in the gas phase.

The advancement of flash photobysis-kinetic spectroscopy, laser technology, and other new techniques has made possible the detection of photochemical primary products and detailed studies of photodynamics. The secondary processes of atoms and radicals formed in the primary process have also been studied extensively. The reactivities of electronically excited atoms (C, O, S, etc.) and radicals (C<sub>2</sub>O, CH<sub>2</sub>, etc.) have been found to be very different from those of corresponding ground state atoms and radicals. The results of these studies, together with the traditional end product analysis and quantum yield measurements, have greatly aided in our understanding of the photochemical processes, particularly for small molecules. These recent developments, as well as the underlying principles, are described in some detail in dealing with the photochemistry of about 80 small molecules.

Studies of the photochemical processes of small molecules are not only of intrinsic interest but also are important in understanding the photochemistry of isotope enrichment, of air pollution in the troposphere and stratosphere, and of the almospheres of other planets.

This book is aimed at the physical chemist, spectroscopist, and atmospheric scientist interested in photochemistry. As a reference book it lists about 1200 papers, including some original classic studies and those of recent years up to July 1977. The space limitation and the tremendous amount of publication in the last decade have prevented inclusion of some important papers. I apologize to those whose work has not been quoted.

Since the photochemical reaction is initiated by absorption of light in the visible, ultraviolet, and vacuum ultraviolet regions, an understanding of atomic and molecular spectroscopy is required. Chapter I gives a brief introduction to the electronic states and transitions in atoms and simple molecules.

The primary photochemical process brought about by light absorption is dealt with in *Chapter II*. A great deal of information on photodissociation dynamics (such as the lifetimes of the excited states of reactant molecules and the electronic, translational, and internal energy distribution in photo-fragments) has recently been obtained, particularly for some diatomic and

8 (n9i

triatomic molecules. Quantum mechanical theory dealing with dynamics of photodissociation has been proposed by many workers.

Various experimental techniques of photochemistry are described briefly in Chapter III.

Further details are given by Calvert and Pitts (4), Noyes and Leighton (22), and McNesby ct al. (685a).

Production, detection, and reactivities of various electronically excited atoms are given in Chapter IV. The importance of electronically excited atom reactions in photochemistry has been recognized only recently.

Photochemical processes and electronic states of simple molecules with up to five atoms and radicals with up to four atoms in the gas phase are covered in Chapters V through VII. The absorption coefficients available for many molecules are shown in figures, as they are important in understanding the quantitative aspect of photochemistry. Bond dissociation encrgies given are calculated mostly from enthalpies of formation of atoms, radicals, and molecules tabulated in the Appendix.

of atoms and molecules using an appropriate monochromatic light source that preferentially excites an isotopic species of interest in mixtures of other Finally, enrichment of isotopic species has been achieved for a number is briefly described in Chapter VIII. Great efforts have been made recently to obtain information on the detailed photochemical processes involving isotopic species. The photochemistry associated with isotopic enrichment smog formation, stratospheric pollution, and atmospheres of other planets, and brief discussions of these subjects are also presented in the chapter.

Steacie, the late Professor W. Groth, and Professor J. R. McNesby, who laught me various aspects of photochemistry. I am particularly grateful to Ausloos, R. F. Hampson, M. Krauss, and V. H. Dibeler and Professor I would like to express my appreciation to Professor W. A. Noyes, Jr., who introduced me to the field of photochemistry and to the late Dr. E. W. R. Dr. R. E. Rebbert who has carefully read Chapters I, II, and VII and to Dr. A. H. Laufer for his critical reading of Chapters III through VI and VIII. Their numerous suggestions have greatly improved the manuscript. Thanks are due to Dr. M. D. Scheer for his continuous encouragement J. P. Simons for their help and discussion during the preparation of the manuscript. I would like to thank Professor S. A. Rice at the University debted to Mrs. P. A. Davis who did an excellent job in typing the entire and to many friends and colleagues, especially to Drs. D. Garvin, P. J. of Chicago who has given me the opportunity to write this book. I am inmanuscript.

Gaithersburg, Maryland

March 1978

### Contents

# INTRODUCTION

# CHAPTER I: SPECTROSCOPY OF ATOMS AND MOLECULES

Electronic States of Atoms, 5

Ξ

7

- Atoms with More Than One Outer Electron, 7 f-1.1 Atoms with One Outer Electron, 5
- Rotational Eaergy Levels of Diatomic Molecules, 8 Quantum States of Distante Molecules, 8
- Vibrational Energy Levels of Diatomic Molecules, 10 Electronic States of Diatomic Molecules, 11
  - Diatomic Molecules; Hund's Coupling Cases, 12 Coupling of Rotation and Electronic Motion in
    - Quantum States of Polystemic Molecules, 14

7

- Vibrational Levels of Polyatomic Molecules, 15 Rotational Levels of Polyatomic Molecules, 14
  - Electronic States of Polyatomic Molecules, 16 Thermal Contribution to Photodissociation, 18

1

- Vibrational Population in Diatomic Molecules, 18 Rotational Population in Diatomic Molecules, 19
- Thermal Contribution to Photolysis and Fluorescence, 20
  - Electronic Transition in Atoms, 22 \_5.1

<u>Y</u>

- Einstein Transition Probabilities, 23 Absorption Intensity of Atoms, 24
  - Oscillator Strength, 25
- Line Profile in Resonance Absorption; Natural, Resonance Absorption and Emission by Atoms, 17 <u>-</u>9-

9

- Line Profile in Resonance Emission; Four Types of Doppler and Pressure Broadening, 27 Resonance Lamps, 31 1-6.2
  - Measurement of the Absorption Intensity Using a Resonance Lamp, 35 1-6.3
- Band Intensities in the Molecular System, 37 1
- The Beer-Lambert Law in the Molecular System, 41 beorption Coefficient is the Molecular System, 41 1
  - Measurement of the Integrated Absorption Deviation from the Beer-Lambert Law, 42 -8.2
- Temperature Dependence of the Continuous Absorption Spectrum, 44 Coefficient, 44 1-8.4

viii Contents 1

	<ul> <li>III-3.2 Calculation of the Primary Quantum Yield, 123</li> <li>III-4.1 Chemical Actinometers in the Vacuum         Ultraviolet Region, 126         III-4.2 Chemical Actinometers in the Ultraviolet Region, 1     </li> <li>III-4.2 Chemical Actinometers in the Ultraviolet Region, 1</li> <li>III-5 Determination of the Elementary Reaction Rates, 128</li> </ul>	<ul> <li>III5.1 Pseudo-First-Order Decay of Reactive Species, 130</li> <li>III5.2 Second-Order Decay of Reactive Species, 131</li> <li>III5.3 Time Dependent Radical Concentration by Consecutive Reactions, 133</li> <li>III6 Deternalization of the Primary Photochemical Process by Radical Trapping Agents, 135</li> <li>III6.1 Examples, 136</li> </ul>	CHAPTER IV: PRODUCTION AND QUENCHING OF ELECTRONICALLY EXCITED ATOMS		<ul> <li>IV-2.5 Hg(<sup>3</sup>P<sub>1</sub>) + Olefins, 146</li> <li>IV-2.6 Hg(<sup>4</sup>P<sub>1</sub>) Sensitized Reactions, 146</li> <li>IV-3 Other Atom Sensitized Reactions, 147</li> <li>IV-3.1 (d(<sup>3</sup>P<sub>1</sub>, <sup>1</sup>P<sub>1</sub>) Sensitized Reactions, 147</li> <li>IV-3.3 Ng(<sup>2</sup>P<sub>1</sub>) Sensitized Reactions, 147</li> <li>IV-3.4 Ar(<sup>3</sup>P<sub>1</sub>, <sup>1</sup>P<sub>1</sub>) Sensitized Reactions, 148</li> <li>IV-3.5 Kr(<sup>2</sup>P<sub>1</sub>, <sup>1</sup>P<sub>1</sub>) Sensitized Reactions, 148</li> <li>IV-3.6 Xe(<sup>2</sup>P<sub>1</sub>) Sensitized Reactions, 148</li> </ul>	IV-4 Reactions of Metastable O Atoms, 149 IV-4.1 O( <sup>1</sup> D) Atoms, 149 IV-4.2 O( <sup>1</sup> S) Atoms, 152 IV-5 Reactions of Metastable S Atoms, 156 IV-5.1 S( <sup>1</sup> D) Atoms, 156 IV-5.2 S( <sup>1</sup> S) Atoms, 157
	25				. ,	107
Exertonic Transitions in Diatomic Molecules, 46 1-9.1 Vibrational Structure in the Electronic Transition, 47 1-9.2 The Franck-Condon Principle, 47 1-9.3 Rotational Structure in the Electronic Transition, 49 Selection Rules in Atums and Molecules, 50 1-10.1 Selection Rules in Atoms, 50 1-10.2 Electronic Transitions in Diatomic Molecules, 51 1-10.3 Electronic Transitions in Polyatomic Molecules, 53	CHAPTER II: PRIMARY PHOTOCHEMICAL PROCESSES IN SIMPLE MOLECULES II-1 The Primary Processes in Distoraic Molecules, 58 II-1.1 Specifoscopic Studies of Diatoraic Molecules, 58 II-1.2 Photochemical Studies of Diatoraic Molecules, 58 II-1.2 Photochemical Studies of Diatoraic Molecules, 58	The Primary Processes in Simple Polyatomic Molecules, 64 11-2.1 Fluorescence in Simple Polyatomic Molecules, 64 11-2.2 Photodissociation in Simple Polyatomic Molecules, 66 11-2.3 Predissociation in Simple Polyatomic Molecules, 68 Correlation Rules in Photodissociation, 71 11-3.1 Examples of Spin Correlation Rules, 71 11-3.2 Examples of Symmetry Correlation Rules, 73	Distribution of the Excess Erra gr in Photofragments, 81 [1-4.1 Measurement of the Translational Energy of Photofragments, 82 [1-4.2 Measurement of the Internal Energy of Photofragments, 86 Angular Distribution of Photofragments, 88	Models for Energy Partitioning in Photodissociation, 92 II-6.1 Statistical Model, 92 II-6.2 Impulsive Model, 93 II-6.3 Equilibrium Geometry Model, 94 II-6.4 Other Model, 95 II-6.5 Rotational Excitation, 96	Determination of Bond Dissociation Facrgies, 97  II-7.1 Determination of Bond Dissociation Energies from Thermochemical Dala, 98  II-7.2 Determination of the Bond Dissociation Energies in Distornic Molecules, 100  II-7.3 Determination of the Bond Dissociation Energies in Simple Polyatomic Molecules, 101	CHAPTER III: EXPERIMENTAL TECHNIQUES IN PHOTOCHEMISTRY III—1 Light Sources, 107 III—1.1 Atomic Line Sources in the Vacuum Ultraviolet Region, 108
F-10	CHAPTE IN SI II-1	П-2	II-4 II-5	<b>9-1</b> 1 .	F-1	CHAPTE PHO7 III-1

139

!

nemical Actinometers in the Ultraviolet Region, 127

Z

Contents	V-11 Electronic Transkious and Lifetimes of Some Diatomic Radicals, 192 V-13.1 Diatomic Radicals Containing Hydrogen, 193 V-13.2 Diatomic Radicals Containing Carbon, (Cyano), 197 (Diatomic Carbon), 198 V-11.3 Diatomic Radicals Containing a Hatogen; FO. CIO, BrO, and IO, 199 V-11.4 Diatomic Radicals Containing Salfur, (Sulfur Monoxide), 199 (Carbon Monoxide), 200	CHAPTER VI: PHOTOCHEMISTRY OF TRIATOMIC MOLECULES	VI-1 Water (H <sub>2</sub> O), 201 VI-1.1 Photodissociation, 201	<ul> <li>VI-2. Hydrogen Salitide (H<sub>7</sub>S), 204</li> <li>VI-2.1 Photodissociation, 204</li> <li>VI-2.2 Energy Partitioning in Photodissociation of H<sub>2</sub>S, 205</li> </ul>	VI-3 Hydrogen Cyandde (HCN), 206 VI-3.1 Photochemistry, 206	VI-4 Cyznogen Halides, 206 VI-4.1 Photochemistry, 206	VI-5 Carbon Dioxide (CO <sub>1</sub> ), 208 VI-5.1 Photochemical Reactions, 209 VI-5.2 Stability of CO <sub>2</sub> in the Mars and Verus Algrosubers, 214	77	Carbon I. VI-7.1 VI-7.2	VI_8 Nutrous Oxide (N <sub>2</sub> O), 219 VI_8: Photochemical Reactions, 223 VI_8 2 Production of Metastable Suscine has the	6		VI-10 Nitrosyl Halides, 235 VI-10.1 Nitrosyl Chkride (ONCI), 235 VI-10.2 Nitrosyl Fluoride (NOF), 237
		9	<b>701</b> .										
	Reactions of Metastable and Ground State C Atoms, 157 IV-6.1 C( <sup>1</sup> D) Atoms, 157 IV-6.2 C( <sup>2</sup> S) Atoms, 157 IV-6.3 C( <sup>2</sup> P) Atoms, 159 Reactions of Other Metastable Atoms, 159 IV-7.1 N( <sup>2</sup> D, <sup>2</sup> P) Atoms, 160 IV-7.2 Br( <sup>2</sup> P <sub>1/2</sub> ) Atoms, 160 IV-7.3 I( <sup>2</sup> P <sub>1/2</sub> ) Atoms, 160 IV-7.4 As( <sup>2</sup> D <sub>1</sub> , <sup>2</sup> P) Atoms, 160 IV-7.5 Sn( <sup>2</sup> D <sub>1</sub> , <sup>2</sup> P) Atoms, 160 IV-7.5 Sn( <sup>2</sup> D <sub>1</sub> , <sup>2</sup> S) Atoms, 161 IV-7.6 Pb( <sup>2</sup> D <sub>1</sub> , <sup>3</sup> S) Atoms, 161 IV-7.6 Pb( <sup>2</sup> D <sub>1</sub> , <sup>3</sup> S) Atoms, 161	CHAPTER V: PHOTOCHEMISTRY OF	DIATOMIC MULECULES V-1 Hydrogen 162	Hydrogen Halitles, 162 V-2.1 Hydrogen Fluoride, 162 V-2.2 Hydrogen Chloride, 162	V-2.3 Hydrogen Bromide, 164 V-2:4 Hydrogen Iodide, 164	Carban Manexide, 166 V-3.1 Photochemistry, 167	Nitrogen, 168 V-4.1 Photodissociation in the Upper Atmosphere, 170 Nitric Oxide, 171	V-5.1 Fhorescence, 173 V-5.2 Predissociation, 173 V-5.3 Photodissociation, 174 V-5.4 NO in the Upper Atmosphere, 176	Oxygen, 177 V-6.1 O <sub>1</sub> (X <sup>2</sup> E <sub>7</sub> ), 177 V-6.2 O <sub>1</sub> ( $\alpha$ <sup>1</sup> A <sub>2</sub> ), 181	V-6.3 O <sub>2</sub> (0'2, ), 183 Suffar, 184	Halogeus, 1894 V-8.1 Fluorine, 184 V-8.2 Chlorine, 184 V-8.3 Bromine, 185 V-8.4 Fadine, 187		Alkai Iodides, 192 V-10.1 Sodium Iodide, 192 V-10.2 Poenseum Iodide, 192
x Contents	IV-6	CHAPTE	V-1	V-2		<u>V</u>	V 4		9-A	V-7	<b>*</b>	6-V	V-10

Contents

ij

VI-11

**Y**I-14

VI-13

VI-12

VII-16.2 Triffuoromethyl (CF.); Trichloromethyl (CCl.), 296 VII-4.2 Photodissociation in the Vocuum Ultraviolet, 280 Isocyanic Acid (HNCO); Isoltiocyasic Acid (HNCS), 283 Photochemistry in the Near Ultraviolet, 277 HIVE-ATOM MOLECULES Nitrous Acid in the Atmosphere, 287 VII-16.3 Nitrogen Trioxide (NO.), 296 Bromnacetylene (BrC2H), 276 VII-16.4 Suffur Trioxide (SO3). 297 lodoscetylene (IC,H), 277 Sulfor Menochloride (S1Cl2), 294 VII-9.1 Photodissociation, 287 VII-10.1 Photodissociation, 288 Hydrogen Peroxide (H2O2), 282 Thiomyl Obloride (OSCI.), 291 Photochemistry, 282 VII-12.1 Photochemistry, 291 Formyl Phoride (HCFO), 285 VII-16.1 Methyl (CH3), 295 Form aldehyde (HCHO), 277 Hydrazoic Acid (HIN3), 287 Thiophosgene (SCC1,), 291 Nifrous Acid (HNO2), 286 VII-II.1 Photolysis, 289 Four-Atom Radicals, 295 Phosgene (OCCl<sub>1</sub>), 289 Cyanogen (C, N, 193 Dimide (N2H2), 181 VII-9.2 VIIF-3.4 9 1 2 VII-13 VII-14 VII-16 VII-10 VII-11 VII-12 VII-15

Trichlorofluoromethane (CFCI3, Freon-12), Dichlorodifluoromethane (CF3CI2, Freon-12), VII-18.3 Methylene Iodide (CH312), Todosorm (CH13). VII-18.1 Methyl Chloride (CH,Cl), Methyl Bromide Dibromodifluoromethane (CF<sub>2</sub>Br<sub>2</sub>), 304 Bromotrichloromethane (CCl,Br), 306 Trifluoroiodomethane (CF31), 301 VII-18.5 Carbon Tetrachloride (CCla). Chloroform (CHCl.), 303 VII-18.2 Methyl lodide (CH,1). Halogenated Methanes, 199 (CH<sub>3</sub>Br), 300 VII-18.4

Methane (CH,), 298

VII-19 Diazomethane (CHIN), Diaririne (Cyclic CHIN), 308 Chlorodifluoromethane (CHF,CI). 307 Ketene (C11,CO), 309

> VII-2 VII-3

7-15

VII--20.1 Photochemistry, 310

WI-18.6 Dichlorofluoromethane (CHFQ1).

### xiv Contents

	ä			
VII-21 Formic Acid (HCOOFI), 314 VII-22 Cyanocceptene (C, HCN), 315 VII-23 Nitric Acid (HNO <sub>2</sub> ), 315 VII-23 F Potodissociation, 316 VII-23 F Potodissociation, 316 VII-24 Cyanogen Azide (N, CN), 318 VII-25 Carbon Suboxide (C <sub>2</sub> O <sub>2</sub> ), 319 VII-25 Photolysis of C <sub>3</sub> O <sub>2</sub> in the Near Ultraviolet, 321 VII-25 Photolysis of C <sub>3</sub> O <sub>2</sub> in the Vacuum Ultraviolet, 321 VII-26 Chorine Nitrate (ClONO <sub>2</sub> ), 323	CHACTER VILE; VARUOUS LUCIUS RELATED TO PHOTOCHEMISTRY	VIII-1 Isotope Enrichment, 325 VIII-1.1 The Atomic System, 326 VIII-1.2 The Molecular System, 328 VIII-2 Photochemistry of Air Pollution, 329	VIII-2.1 The Earlu's Atmosphere, 530 VIII-2.2 Atmospheric Air Pollution, 332 VIII-2.3 Photochemical Air Pollution in the Troposphere, 332 VIII-2.4 Air Pollution in the Stratosphere, 340	VIII-3 Photochemistry of the Atmospheres of Other Flancts, 352 VIII-3.1 Photochemistry of the Mars Atmosphere, 352 VIII-3.2 Photochemistry of the Venus Atmosphere, 356 VIII-3.3 Photochemistry of the Jovian Atmosphere, 357

## PHOTOCHEMISTRY OF SMALL MOLECULES

38 38 53 53

APPENDIX: REFERENCE TABLES REFERENCES

INDEX




Fig. V-12. Absorption coefficients of O<sub>2</sub> in the region 1000 to 2000 Å. k is in anise of aim<sup>-1</sup> cm<sup>-1</sup>, G<sup>C</sup>C, base 2. 1300 to 1700 Å, Schumann-Runge condumn. 1750 to 1950 Å, Schumann-Runge basds. From Watanabe et al. (1014), reprinted by permission. Copyright 1953 by the American Institute of Physics.




Fig. V-13. The absorption cross sections of the O<sub>2</sub> continuum in the 1814 to 2350 Å region.  $\sigma$  is in units of  $10^{-22}$  cm² molec<sup>-1</sup>, base c, at room (emperature. The absorption cross sections are measured at minima between the well-separated rotational lines of the Schumann-Runge hands for  $\lambda < 2025$  Å,  $\sigma$  increases with pressure probabily as a result of the formation of  $O_c$ . The data are values at the form pressure limit. From Ogawa (755), reprinted by permission. Copyright 1971 by the American Institute of Physics.




Fig. V-14. Potential energy curves of O<sub>2</sub>. S-R, Schamann-Runge bands; H, Hercherg bands; A-A, atmospheric bands. The inc-brondening was observed at v' = 4 of the  $B^3\Sigma_+$  bands; A-A, atmospheric bands. The inc-brondening was observed at v' = 4 of the  $B^3\Sigma_+$  state at which point the repulsive <sup>3</sup>H, state crosses the  $B^3\Sigma_+$  state. See Naurell and Taylor (726). From "Dissociation Energies and the Spectra of Distomic Molecules" by Gaydon, 3rd Ed. 1968, p. 74, reprinted by permission of Associated Book Publishers Ldd.

determined (104, 341, 444). They are given in Table V-8. Ackerman et al. (38) have measured the absorption coefficients for individual rotational lines in the region 1750 to 2050 Å. The oscillator strengths of the Herzberg I bands from (4,0) to (11,0) have been measured by Hasson and Nicholls (446). An absorption coefficient of 0.30 ± 0.03 atm<sup>-1</sup> cm<sup>-1</sup> at the 1216 Å line has been determined by several workers (381, 753).

Photochemistry. The threshold wavelengths for the production of  $O(^{1}P)$ ,  $O(^{1}D)$ , and  $O(^{1}S)$  are given below.

# Threshold Wavelength (Å)

2424 1750 1332
0, 10(3P) + 0(3P) 0, 12 0(3P) + 0(3P) 0, 15 0(3P) + 0(3P)

Ackerman and Biaume (37) have observed that rotational lines become diffuse at v = 4, 8, and 11 for the Schumann-Runge system. They attribute the diffuseness to predissociation.

A line width of 3 cm<sup>-1</sup> observed by them implies a lifetime on the order of 10<sup>-11</sup> see for the (4,0) kyel. It is suggested by Carroll (192) and Murrell and Taylor (726) that predissociation is due to the crossing of the repulsive